

Behavior Survey Form for patients with novel coronavirus infection (source of infection)*

NESID registration ID:

Patient Name:

☆ (Common) behavior survey before the onset is conducted for about 14 days prior to the onset in order to estimate the source of infection. Interview the patient to get information about their behavioral history in places with a high risk of infection* as well as their contact history with people with symptoms (face-to-face conversation, etc.). Places with a high risk of infection include workplaces, schools, medical institutions, welfare facilities, and other public gathering places, as well as closed spaces where an unspecified number of people are come in contact with each other for a certain period of time. Use "Behavior Survey Form (Attachment 3-1)" to enter behavioral history on "2 days before the onset" and after.

*Examples of behavioral history in the places with a high risk of infection: participation in gatherings in poorly ventilated, closed environment including ships, long-distance buses, gyms, indoor live music halls, clubs, stand-up party halls, karaoke boxes, indoor exhibition halls, etc., or staying in endemic areas (domestic / abroad).

Days before the onset	Date	Time	Place of contact	History of behavior/contact	Situation (activity, contact with others, scale of the event, presence of people feeling unwell, etc.)	Name of companions in places with high risk of infection	Notes
Examples of entry	6/Y	9-12 13:30-17:00 (roughly)	i) Live house XX near ○○ station. TEL : 000-000-0000 ii) △△ city, △△ prefecture iii) ◇◇ town, □□ prefecture	i) Joined a live concert with colleagues of Sales Dept. 2 to which the patient belongs ii) Took a bus of ○× Tourist TEL : 999-999-9999 iii) Contacted a friend (Mr. ○○) who had symptoms of a cold in front of Station.	i) There were about 300 audience members packed in, standing. ii) There were about 20 passengers including the patient's family (wife and 2 children) in the bus. There was a passenger who felt unwell. iii) Had a chat without wearing a face mask for about 30	i) Mr. ○× (division manager), Ms. △ □ (section chief) ii) Taro ○○, Hanako □□, Jiro △△	
14 days before the onset							
13 days before the onset							
12 days before the onset							
11 days before the onset							
10 days before the onset							
9 days before the onset							
8 days before the onset							
7 days before the onset							
6 days before the onset							
5 days before the onset							
4 days before the onset							
3 days before the onset							

* If the patient has already been under health observation, the Behavior Survey Form (source of infection) (Attachment-2) does not necessarily have to be filled out.